



SOLARIF

RISK MANAGEMENT

Certificate number: **PV 20190606000**
Certificate holder: **Ulica Solar Science & Technology Co., Ltd.**

Valid from: **07.05.2019**
Expires on: **07.05.2021**

Solarif Risk Management B.V. declares, after a thorough risk assessment of amongst others the production lines, financial strength, environmental and labor conditions, that the modules mentioned below from the **Ulica Solar Science & Technology Co., Ltd.** factory located at No. 181, Shanshan Road, Wangchun Industrial Area, Yinzhou District, 315177 - Ningbo, Zhejiang, China, are approved.

The certificate is valid from **07.05.2019** until **07.05.2021** and as long as the company is not insolvent.

This certificate enables clients of **Ulica Solar Science & Technology Co., Ltd.** to purchase Solarif's unique inherent defect coverage in addition to Solarif's Operational all risk insurance, supporting and backing-up the manufacturer's warranty in case of inherent defect.

This insurance is exclusively available through Solarif Insurance.

For more information or a quotation, please contact us at +31 (0) 26 711 5050, by email support@solarif.com or visit our website www.solarif.com.

Date: **06.06.2019**
Harry Wolkenfelt / CEO
Solarif Risk Management BV



Certificate number: **PV 20190606000**
Certificate holder: **Ulica Solar Science & Technology Co., Ltd.**

Valid from: **07.05.2019**
Expires on: **07.05.2021**

APPROVED MONO-CRYSTALLINE MODULES				
<i>Model</i>	<i>Max. Power (Wp)</i>	<i>Tolerance</i>	<i>Euro. Efficiency</i>	<i>Number and size of cell</i>
UL-xxxM-24	100 – 125	±3	1000	24/ 156mm x 156mm
UL-xxxM-28	115 – 145	±3	1000	28/ 156mm x 156mm
UL-xxxM-32	120 – 165	±3	1000	32/ 156mm x 156mm
UL-xxxM-36	135 – 190	±3	1000	36/ 156mm x 156mm
UL-xxxM-48	200 – 250	±3	1000	48/ 156mm x 156mm
UL-xxxM-54	225 – 285	±3	1000	54/ 156mm x 156mm
UL-xxxM-60	250 – 315	±3	1000	60/ 156mm x 156mm
UL-xxxM-72	300 – 380	±3	1000	72/ 156mm x 156mm
UL-xxxM-48/HV	220 – 250	±3	1000	48/ 156mm x 156mm
UL-xxxM-48/UL	220 – 250	±3	1000	48/ 156mm x 156mm
UL-xxxM-54/HV	245 – 280	±3	1000	54/ 156mm x 156mm
UL-xxxM-54/UL	245 – 280	±3	1000	54/ 156mm x 156mm
UL-xxxM-60/HV	275 – 310	±3	1000	60/ 156mm x 156mm
UL-xxxM-60/UL	275 – 310	±3	1000	60/ 156mm x 156mm
UL-xxxM-72/HV	330 – 375	±3	1000	72/ 156mm x 156mm
UL-xxxM-72/UL	330 – 375	±3	1000	72/ 156mm x 156mm
UL-xxD-16	40 – 45	±3	1000	16/ 125mm x 125mm
UL-xxD-20	50 – 60	±3	1000	20/ 125mm x 125mm
UL-xxD-24	60 – 70	±3	1000	24/ 125mm x 125mm
UL-xxD-28	65 – 80	±3	1000	28/ 125mm x 125mm
UL-xxD-32	75 – 95	±3	1000	32/ 125mm x 125mm
UL-xxxD-36	100 – 105	±3	1000	36/ 125mm x 125mm
UL-xxD-36	80 – 95	±3	1000	36/ 125mm x 125mm
UL-xxxD-40	100 – 120	±3	1000	40/ 125mm x 125mm
UL-xxD-40	90 – 95	±3	1000	40/ 125mm x 125mm
UL-xxxD-72	155 – 215	±3	1000	72/ 125mm x 125mm
UL-xxxD-84	165 – 250	±3	1000	84/ 125mm x 125mm
UL-xxxD-96	235 – 290	±3	1000	96/ 125mm x 125mm





SOLARIF

RISK MANAGEMENT

APPROVED POLY-CRYSTALLINE MODULES				
<i>Model</i>	<i>Max. Power (Wp)</i>	<i>Tolerance</i>	<i>Euro. Efficiency</i>	<i>Number and size of cell</i>
UL-xxP-24	95	±3	1000	24/ 156mm x 156mm
UL-xxxP-24	100 – 120	±3	1000	24/ 156mm x 156mm
UL-xxxP-28	110 – 140	±3	1000	28/ 156mm x 156mm
UL-xxxP-32	125 – 160	±3	1000	32/ 156mm x 156mm
UL-xxxP-36	145 – 185	±3	1000	36/ 156mm x 156mm
UL-xxxP-48	190 – 245	±3	1000	48/ 156mm x 156mm
UL-xxxP-54	215 – 275	±3	1000	54/ 156mm x 156mm
UL-xxxP-60	240 – 305	±3	1000	60/ 156mm x 156mm
UL-xxxP-72	285 – 370	±3	1000	72/ 156mm x 156mm
UL-xxxP-48/HV	220 – 240	±3	1000	48/ 156mm x 156mm
UL-xxxP-48/UL	220 – 240	±3	1000	48/ 156mm x 156mm
UL-xxxP-54/HV	245 – 270	±3	1000	54/ 156mm x 156mm
UL-xxxP-54/UL	245 – 270	±3	1000	54/ 156mm x 156mm
UL-xxxP-60/HV	275 – 300	±3	1000	60/ 156mm x 156mm
UL-xxxP-60/UL	275 – 300	±3	1000	60/ 156mm x 156mm
UL-xxxP-72/HV	330 – 360	±3	1000	72/ 156mm x 156mm
UL-xxxP-72/UL	330 – 360	±3	1000	72/ 156mm x 156mm

Solarif Risk Management BV

Mr. B.M. Teldersstraat 11 | 6842 CT Arnhem | PO Box 4192 | 6803 ED Arnhem | The Netherlands
T. +31 (0)26 711 5050 | info@solarif.com | www.solarif.com | IBAN NL93RABO0302073744
COC 09193608 | VAT NL820465148B01

